

Band	UPLINK		DOWNLINK		Band	UPLINK		DOWNLINK		Band	UPLINK		DOWNLINK		Band	UPLINK		DOWNLINK	
	Center Freq (MHz)	Chan	Center Freq (MHz)	Chan		Center Freq (MHz)	Chan	Center Freq (MHz)	Chan		Center Freq (MHz)	Chan	Center Freq (MHz)	Chan		Center Freq (MHz)	Chan	Center Freq (MHz)	Chan
A	1850.00	511	1930.00	511	A	1853.00	526	1933.00	526	A	1856.00	541	1936.00	541	A	1859.00	556	1939.00	556
A	1850.20	512	1930.20	512	A	1853.20	527	1933.20	527	A	1856.20	542	1936.20	542	A	1859.20	557	1939.20	557
A	1850.40	513	1930.40	513	A	1853.40	528	1933.40	528	A	1856.40	543	1936.40	543	A	1859.40	558	1939.40	558
A	1850.60	514	1930.60	514	A	1853.60	529	1933.60	529	A	1856.60	544	1936.60	544	A	1859.60	559	1939.60	559
A	1850.80	515	1930.80	515	A	1853.80	530	1933.80	530	A	1856.80	545	1936.80	545	A	1859.80	560	1939.80	560
A	1851.00	516	1931.00	516	A	1854.00	531	1934.00	531	A	1857.00	546	1937.00	546	A	1860.00	561	1940.00	561
A	1851.20	517	1931.20	517	A	1854.20	532	1934.20	532	A	1857.20	547	1937.20	547	A	1860.20	562	1940.20	562
A	1851.40	518	1931.40	518	A	1854.40	533	1934.40	533	A	1857.40	548	1937.40	548	A	1860.40	563	1940.40	563
A	1851.60	519	1931.60	519	A	1854.60	534	1934.60	534	A	1857.60	549	1937.60	549	A	1860.60	564	1940.60	564
A	1851.80	520	1931.80	520	A	1854.80	535	1934.80	535	A	1857.80	550	1937.80	550	A	1860.80	565	1940.80	565
A	1852.00	521	1932.00	521	A	1855.00	536	1935.00	536	A	1858.00	551	1938.00	551	A	1861.00	566	1941.00	566
A	1852.20	522	1932.20	522	A	1855.20	537	1935.20	537	A	1858.20	552	1938.20	552	A	1861.20	567	1941.20	567
A	1852.40	523	1932.40	523	A	1855.40	538	1935.40	538	A	1858.40	553	1938.40	553	A	1861.40	568	1941.40	568
A	1852.60	524	1932.60	524	A	1855.60	539	1935.60	539	A	1858.60	554	1938.60	554	A	1861.60	569	1941.60	569
A	1852.80	525	1932.80	525	A	1855.80	540	1935.80	540	A	1858.80	555	1938.80	555	A	1861.80	570	1941.80	570

Band	UPLINK		DOWNLINK		Band	UPLINK		DOWNLINK		Band	UPLINK		DOWNLINK		Band	UPLINK		DOWNLINK	
	Center Freq (MHz)	Chan	Center Freq (MHz)	Chan		Center Freq (MHz)	Chan	Center Freq (MHz)	Chan		Center Freq (MHz)	Chan	Center Freq (MHz)	Chan		Center Freq (MHz)	Chan	Center Freq (MHz)	Chan
A	1862.00	571	1942.00	571	D	1865.00	586	1945.00	586	D	1868.00	601	1948.00	601	B	1871.00	616	1951.00	616
A	1862.20	572	1942.20	572	D	1865.20	587	1945.20	587	D	1868.20	602	1948.20	602	B	1871.20	617	1951.20	617
A	1862.40	573	1942.40	573	D	1865.40	588	1945.40	588	D	1868.40	603	1948.40	603	B	1871.40	618	1951.40	618
A	1862.60	574	1942.60	574	D	1865.60	589	1945.60	589	D	1868.60	604	1948.60	604	B	1871.60	619	1951.60	619
A	1862.80	575	1942.80	575	D	1865.80	590	1945.80	590	D	1868.80	605	1948.80	605	B	1871.80	620	1951.80	620
A	1863.00	576	1943.00	576	D	1866.00	591	1946.00	591	D	1869.00	606	1949.00	606	B	1872.00	621	1952.00	621
A	1863.20	577	1943.20	577	D	1866.20	592	1946.20	592	D	1869.20	607	1949.20	607	B	1872.20	622	1952.20	622
A	1863.40	578	1943.40	578	D	1866.40	593	1946.40	593	D	1869.40	608	1949.40	608	B	1872.40	623	1952.40	623
A	1863.60	579	1943.60	579	D	1866.60	594	1946.60	594	D	1869.60	609	1949.60	609	B	1872.60	624	1952.60	624
A	1863.80	580	1943.80	580	D	1866.80	595	1946.80	595	D	1869.80	610	1949.80	610	B	1872.80	625	1952.80	625
A	1864.00	581	1944.00	581	D	1867.00	596	1947.00	596	B	1870.00	611	1950.00	611	B	1873.00	626	1953.00	626
A	1864.20	582	1944.20	582	D	1867.20	597	1947.20	597	B	1870.20	612	1950.20	612	B	1873.20	627	1953.20	627
A	1864.40	583	1944.40	583	D	1867.40	598	1947.40	598	B	1870.40	613	1950.40	613	B	1873.40	628	1953.40	628
A	1864.60	584	1944.60	584	D	1867.60	599	1947.60	599	B	1870.60	614	1950.60	614	B	1873.60	629	1953.60	629
A	1864.80	585	1944.80	585	D	1867.80	600	1947.80	600	B	1870.80	615	1950.80	615	B	1873.80	630	1953.80	630

Band	UPLINK		DOWNLINK		Band	UPLINK		DOWNLINK		Band	UPLINK		DOWNLINK		Band	UPLINK		DOWNLINK	
	Center Freq (MHz)	Chan	Center Freq (MHz)	Chan		Center Freq (MHz)	Chan	Center Freq (MHz)	Chan		Center Freq (MHz)	Chan	Center Freq (MHz)	Chan		Center Freq (MHz)	Chan	Center Freq (MHz)	Chan
B	1874.00	631	1954.00	631	B	1877.00	646	1957.00	646	B	1880.00	661	1960.00	661	B	1883.00	676	1963.00	676
B	1874.20	632	1954.20	632	B	1877.20	647	1957.20	647	B	1880.20	662	1960.20	662	B	1883.20	677	1963.20	677
B	1874.40	633	1954.40	633	B	1877.40	648	1957.40	648	B	1880.40	663	1960.40	663	B	1883.40	678	1963.40	678
B	1874.60	634	1954.60	634	B	1877.60	649	1957.60	649	B	1880.60	664	1960.60	664	B	1883.60	679	1963.60	679
B	1874.80	635	1954.80	635	B	1877.80	650	1957.80	650	B	1880.80	665	1960.80	665	B	1883.80	680	1963.80	680
B	1875.00	636	1955.00	636	B	1878.00	651	1958.00	651	B	1881.00	666	1961.00	666	B	1884.00	681	1964.00	681
B	1875.20	637	1955.20	637	B	1878.20	652	1958.20	652	B	1881.20	667	1961.20	667	B	1884.20	682	1964.20	682
B	1875.40	638	1955.40	638	B	1878.40	653	1958.40	653	B	1881.40	668	1961.40	668	B	1884.40	683	1964.40	683
B	1875.60	639	1955.60	639	B	1878.60	654	1958.60	654	B	1881.60	669	1961.60	669	B	1884.60	684	1964.60	684
B	1875.80	640	1955.80	640	B	1878.80	655	1958.80	655	B	1881.80	670	1961.80	670	B	1884.80	685	1964.80	685
B	1876.00	641	1956.00	641	B	1879.00	656	1959.00	656	B	1882.00	671	1962.00	671	E	1885.00	686	1965.00	686
B	1876.20	642	1956.20	642	B	1879.20	657	1959.20	657	B	1882.20	672	1962.20	672	E	1885.20	687	1965.20	687
B	1876.40	643	1956.40	643	B	1879.40	658	1959.40	658	B	1882.40	673	1962.40	673	E	1885.40	688	1965.40	688
B	1876.60	644	1956.60	644	B	1879.60	659	1959.60	659	B	1882.60	674	1962.60	674	E	1885.60	689	1965.60	689
B	1876.80	645	1956.80	645	B	1879.80	660	1959.80	660	B	1882.80	675	1962.80	675	E	1885.80	690	1965.80	690

Band	UPLINK		DOWNLINK		Band	UPLINK		DOWNLINK		Band	UPLINK		DOWNLINK		Band	UPLINK		DOWNLINK	
	Center Freq (MHz)	Chan	Center Freq (MHz)	Chan		Center Freq (MHz)	Chan	Center Freq (MHz)	Chan		Center Freq (MHz)	Chan	Center Freq (MHz)	Chan		Center Freq (MHz)	Chan	Center Freq (MHz)	Chan
E	1886.00	691	1966.00	691	E	1889.00	706	1969.00	706	F	1892.00	721	1972.00	721	C	1895.00	736	1975.00	736
E	1886.20	692	1966.20	692	E	1889.20	707	1969.20	707	F	1892.20	722	1972.20	722	C	1895.20	737	1975.20	737
E	1886.40	693	1966.40	693	E	1889.40	708	1969.40	708	F	1892.40	723	1972.40	723	C	1895.40	738	1975.40	738
E	1886.60	694	1966.60	694	E	1889.60	709	1969.60	709	F	1892.60	724	1972.60	724	C	1895.60	739	1975.60	739
E	1886.80	695	1966.80	695	E	1889.80	710	1969.80	710	F	1892.80	725	1972.80	725	C	1895.80	740	1975.80	740
E	1887.00	696	1967.00	696	F	1890.00	711	1970.00	711	F	1893.00	726	1973.00	726	C	1896.00	741	1976.00	741
E	1887.20	697	1967.20	697	F	1890.20	712	1970.20	712	F	1893.20	727	1973.20	727	C	1896.20	742	1976.20	742
E	1887.40	698	1967.40	698	F	1890.40	713	1970.40	713	F	1893.40	728	1973.40	728	C	1896.40	743	1976.40	743
E	1887.60	699	1967.60	699	F	1890.60	714	1970.60	714	F	1893.60	729	1973.60	729	C	1896.60	744	1976.60	744
E	1887.80	700	1967.80	700	F	1890.80	715	1970.80	715	F	1893.80	730	1973.80	730	C	1896.80	745	1976.80	745
E	1888.00	701	1968.00	701	F	1891.00	716	1971.00	716	F	1894.00	731	1974.00	731	C	1897.00	746	1977.00	746
E	1888.20	702	1968.20	702	F	1891.20	717	1971.20	717	F	1894.20	732	1974.20	732	C	1897.20	747	1977.20	747
E	1888.40	703	1968.40	703	F	1891.40	718	1971.40	718	F	1894.40	733	1974.40	733	C	1897.40	748	1977.40	748
E	1888.60	704	1968.60	704	F	1891.60	719	1971.60	719	F	1894.60	734	1974.60	734	C	1897.60	749	1977.60	749
E	1888.80	705	1968.80	705	F	1891.80	720	1971.80	720	F	1894.80	735	1974.80	735	C	1897.80	750	1977.80	750

Band	UPLINK		DOWNLINK		Band	UPLINK		DOWNLINK		Band	UPLINK		DOWNLINK		Band	UPLINK		DOWNLINK	
	Center Freq (MHz)	Chan	Center Freq (MHz)	Chan		Center Freq (MHz)	Chan	Center Freq (MHz)	Chan		Center Freq (MHz)	Chan	Center Freq (MHz)	Chan		Center Freq (MHz)	Chan	Center Freq (MHz)	Chan
C	1898.00	751	1978.00	751	C	1901.00	766	1981.00	766	C	1904.00	781	1984.00	781	C	1907.00	796	1987.00	796
C	1898.20	752	1978.20	752	C	1901.20	767	1981.20	767	C	1904.20	782	1984.20	782	C	1907.20	797	1987.20	797
C	1898.40	753	1978.40	753	C	1901.40	768	1981.40	768	C	1904.40	783	1984.40	783	C	1907.40	798	1987.40	798
C	1898.60	754	1978.60	754	C	1901.60	769	1981.60	769	C	1904.60	784	1984.60	784	C	1907.60	799	1987.60	799
C	1898.80	755	1978.80	755	C	1901.80	770	1981.80	770	C	1904.80	785	1984.80	785	C	1907.80	800	1987.80	800
C	1899.00	756	1979.00	756	C	1902.00	771	1982.00	771	C	1905.00	786	1985.00	786	C	1908.00	801	1988.00	801
C	1899.20	757	1979.20	757	C	1902.20	772	1982.20	772	C	1905.20	787	1985.20	787	C	1908.20	802	1988.20	802
C	1899.40	758	1979.40	758	C	1902.40	773	1982.40	773	C	1905.40	788	1985.40	788	C	1908.40	803	1988.40	803
C	1899.60	759	1979.60	759	C	1902.60	774	1982.60	774	C	1905.60	789	1985.60	789	C	1908.60	804	1988.60	804
C	1899.80	760	1979.80	760	C	1902.80	775	1982.80	775	C	1905.80	790	1985.80	790	C	1908.80	805	1988.80	805
C	1900.00	761	1980.00	761	C	1903.00	776	1983.00	776	C	1906.00	791	1986.00	791	C	1909.00	806	1989.00	806
C	1900.20	762	1980.20	762	C	1903.20	777	1983.20	777	C	1906.20	792	1986.20	792	C	1909.20	807	1989.20	807
C	1900.40	763	1980.40	763	C	1903.40	778	1983.40	778	C	1906.40	793	1986.40	793	C	1909.40	808	1989.40	808
C	1900.60	764	1980.60	764	C	1903.60	779	1983.60	779	C	1906.60	794	1986.60	794	C	1909.60	809	1989.60	809
C	1900.80	765	1980.80	765	C	1903.80	780	1983.80	780	C	1906.80	795	1986.80	795	C	1909.80	810	1989.80	810